

Adding more to adhesive tape

ADVANCE TAPES FULL RANGE

2026/27



Advance Tapes, a UK
leading manufacturer and
supplier of high quality
adhesive tapes



CONTENTS

03	Cloth Tapes	09	Foil Tapes
04	Cloth Tapes	10	Foil Tapes
05	PVC Tapes	11	Polythene Tapes
06	PVC Tapes	12	Paper Masking
07	Advance Gaffa®	12	Strapping and Packaging
08	Double Sided	12	Polyisobutylene & Polythene

CLOTH TAPES

AT121 - Rayon Cloth Tape

Features

- Biodegradable
- Strong
- Abrasion resistant
- Conformable
- Writable surface



Standard Colour



Standard Sizes

19mm x 50m 75mm x 50m
25mm x 50m 100mm x 50m
38mm x 50m 150mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT132 - Economic Waterproof Duct Tape

Features

- High tack
- Easy tear
- Clean peel
- Tight unwind
- Good abrasion resistance
- Waterproof finish
- Conformable
- Non-corrosive adhesive



Standard Colour



Standard Sizes

50mm x 50m
75mm x 50m
100mm x 50m

Markets



[View Technical Data >](#)


AT159 - High Quality Matt Waterproof Cloth Tape

Features

- Strong
- Easy unwind and easy tear
- Conformable
- Water resistant
- Abrasion resistant
- Wide colour range



Standard Colour



Standard Sizes

25mm x 50m
38mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT160 - High Specification Waterproof Cloth Tape

Features

- Very strong
- Conformable
- Water resistant
- Abrasion and puncture resistant
- Very good long term resistance to outdoor exposure



Standard Colour



Standard Sizes

12mm x 50m 60mm x 50m
25mm x 50m 75mm x 50m
30mm x 50m 100mm x 50m
38mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT163 - All Weather Duct Tape

Features

- Strong
- High tack
- Thermosetting adhesive
- Clean peel from most surfaces* up to +110°C
- Conformable
- Water and salt water resistant
- Abrasion resistant



Standard Colour



Standard Sizes

19mm x 50m 75mm x 50m
25mm x 50m 100mm x 50m
38mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT165 - Extra Strong Waterproof Cloth Tape

Features

- Strong
- Easy tear and unwind
- Abrasion, water and puncture resistant
- High tack
- Suitable for short term use
- Can be used at persistently extreme temperatures ranging from -50°C to + 65



Standard Colour



Standard Sizes

25mm x 50m

Markets



[View Technical Data >](#)

AT170 - High Quality Polycloth Laminate Tape

Features

- Strong
- Very high initial tack
- Easy unwind and easy tear
- Water resistant
- Good abrasion resistance



Standard Colour



Standard Sizes

25mm x 50m 75mm x 50m
38mm x 50m 100mm x 50m
50mm x 50m 125mm x 50m

Markets



[View Technical Data >](#)

AT171 - Polycloth Laminate Tape

Features

- Very high initial tack
- Easy tear and unwind
- Good abrasion resistance
- Water resistant finish
- Conformable to awkward shapes



Standard Colour



Standard Sizes

19mm x 50m 75mm x 50m
25mm x 50m 100mm x 50m
38mm x 50m 150mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

CLOTH TAPES

AT172 - High Quality PCL Cloth Tape

Features

- Very high tack
- Easy tear
- Conformable
- Abrasion and puncture resistant
- Water resistant



Standard Colour



Standard Sizes

50mm x 50m

Markets



[View Technical Data](#)


AT175 - Industrial Waterproof Cloth Tape

Features

- Easy unwind and very easy tear
- Good abrasion resistance
- Good long term outdoor exposure
- Water resistant
- Writable surface
- Wide colour range



Standard Colour



Standard Sizes

50mm x 50m
75mm x 50m
100mm x 50m

Markets



[View Technical Data](#)

AT180 - Premium Industrial Waterproof Cloth Tape

Features

- Strong
- High tack
- Very long term outdoor exposure
- Clean peel from most surfaces*
- Water resistant
- Abrasion resistant



Standard Colour



Standard Sizes

19mm x 50m 75mm x 50m
25mm x 50m 100mm x 50m
38mm x 50m 150mm x 50m
50mm x 50m

Markets



[View Technical Data](#)

AT293 - Premier Closure Plate Tape

Features

- High Tack
- Weather resistant
- PRSI0 Approved
- Non-corrosive, water and abrasion resistant



Standard Colour



Standard Sizes

50mm x 25m

Markets



[View Technical Data](#)

AT712 - Nuclear Tape

Features

- Low halogen content
- Easy tear
- pH neutral
- Abrasion resistant
- Can be written on



Standard Colour



Standard Sizes

25mm x 50m
50mm x 50m
75mm x 50m
100mm x 50m

Markets



[View Technical Data](#)

AT2002 - High Specification Flame Retardant Cloth Tape

Features

- Flame retardant - conforms to FAR 25.853
- Clean peel from most surfaces* up to 4 days at +50°C
- Excellent adhesion level
- Water resistant
- Abrasion resistant



Standard Colour



Standard Sizes

50mm x 50m

Markets



[View Technical Data](#)

AT4001/4002/4003 - Glass Cloth Tape

Features

- High mechanical strength
- High temperature resistance
- Thermosetting adhesive
- Conforms to BS EN 60454-3-8 (Type 1 / Type 3)



Standard Colour



Standard Sizes

12mm x 55m 12mm x 33m
19mm x 55m 19mm x 33m
25mm x 55m 25mm x 33m
50mm x 55m

Markets



[View Technical Data](#)

AT6200 - Orange Building Tape

Features

- High resistance against abrasion, water, adverse weather
- Strong and durable
- Can with stand extreme temperature (-50°C - +65°C)
- Suitable for indoor and outdoor use
- Conformable
- Easy to unwind and tear and can easily be applied to smooth or uneven surfaces



Standard Colour



Standard Sizes

50mm x 25m

Markets



[View Technical Data](#)

PVC TAPES

AT5 - Quality Matt Clean Peel PVC Tape

Features

- Very high adhesion level
- UV & water resistant
- Abrasion resistant



Standard Colour



Standard Sizes

25mm x 33m 75mm x 33m
38mm x 33m 100mm x 33m
50mm x 33m

Markets



[View Technical Data >](#)


AT7 - PVC Insulation Tape

Features

- Flame retardant and self-extinguishing
- Easy unwind and tear
- UV resistant
- Available in colour-coding packs
- Wide range of colours



Standard Colour



Standard Sizes

Multiple different sizes available on request ranging from 9mm width up to 600mm

Markets



[View Technical Data >](#)


AT8 / AT8H - Lane Marking Tape & Hazard Warning Tape

Features

- Very high level of adhesion
- Low stretch PVC
- Good abrasion resistance
- Can be walked on immediately after application
- UV & water resistant
- For indoor and outdoor use
- Different colours for different industry signage use.



Standard Colour



Standard Sizes

25mm x 33m 75mm x 33m
30mm x 33m 100mm x 33m
38mm x 33m 150mm x 33m
50mm x 33m

Markets



[View Technical Data >](#)

AT10 - PVC Heavy Duty Pipewrap Tape

Features

- Flame retardant and self-extinguishing
- Conformable
- Water and UV resistant
- Abrasion resistant



Standard Colour



Standard Sizes

19mm x 33m 75mm x 33m
25mm x 33m 100mm x 33m
50mm x 33m 150mm x 33m

Markets



[View Technical Data >](#)

AT20 - PVC Extra Heavy Duty Pipewrap Tape

Features

- Flame retardant and self-extinguishing
- Very high abrasion resistance
- UV & water resistant



Standard Colour



Standard Sizes

19mm x 33m 75mm x 33m
25mm x 33m 100mm x 33m
50mm x 33m 150mm x 33m
60mm x 33m

Markets



[View Technical Data >](#)

AT42 - PVC Protection Tape

Features

- High performance and durability
- Resistant to high and low temperatures
- Suitable for outdoor use
- Conformable
- Water resistant
- Abrasion resistant



Standard Colour



Standard Sizes

50mm x 33m
75mm x 33m

Markets



[View Technical Data >](#)

AT44 - Low Tack PVC Protection Tape

Features

- Low tack
- Clean peel from most surfaces*
- Flame retardant
- Conformable
- Water and UV resistant
- Abrasion resistant



Standard Colour



Standard Sizes

19mm x 33m 150mm x 33m
25mm x 33m 200mm x 33m
38mm x 33m 300mm x 33m
50mm x 33m 500mm x 33m
75mm x 33m 1370mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

AT66 - PVC Protection Tape

Features

- Clean peel from most surfaces up to 4 weeks after application
- Low stretch
- UV and water resistant
- Good low temperature resistance



Standard Colour



Standard Sizes

25mm x 33m 75mm x 33m
38mm x 33m 100mm x 33m
50mm x 33m
65mm x 33m

Markets



[View Technical Data >](#)

PVC TAPES

AT68 - Ribbed PVC Protection Tape

Features

- ✓ Clean peel (up to 4 weeks)
- Suitable for outdoor use
- Water and UV-resistant
- Abrasion resistant



Standard Colour



Standard Sizes

50mm x 33m

Markets



[View Technical Data >](#)

AT88 - PVC Shuttering Tape

Features

- Can be used on dusty, uneven and oily surfaces
- ☀️ UV and water resistant
- Good abrasion resistance



Standard Colour



Standard Sizes

50mm x 33m
75mm x 33m

Markets



[View Technical Data >](#)

AT2000 - Anti Slip Tape

Features

- Anti-slip
- Water and UV Resistant
- Durable
- For indoor and outdoor use
- ✓ Helps you meet statutory Health and Safety regulations



Standard Colour



Standard Sizes

50mm x 18m
100mm x 18m

Markets



[View Technical Data >](#)

AT6000 - PVC Building Tape

Features

- Very easy unwind and easy tear
- ✓ Clean peel from most surfaces
- Can be unwound from the roll without stretching the tape
- ☀️ UV & water resistant
- For indoor and outdoor use



Standard Colour



Standard Sizes

30mm x 33m 120mm x 33m
50mm x 33m 125mm x 33m
100mm x 33m 150mm x 33m

Markets




[View Technical Data >](#)

TAPE TIPS

Always allow PVC tape to 'relax' for a few seconds before pressing down well.

If a PVC tape is used where there is a possibility of it acting as a wick, then ensure the tape is flame retardant.



ADVANCE GAFFA®

AT200 Ultra Matt Advance Gaffa® Tape

Features

- Ultra matt finish
- Flame retardant in situ
- Cable friendly clean peel adhesive
- Easy unwind very easy tear
- Abrasion Resistant
- Water Resistant
- Conformable
- Writable surface



Standard Colour



Standard Sizes

25mm x 50m
50mm x 50m
100mm x 50m

Markets



[View Technical Data >](#)

AT201 Cloth Advance Gaffa® Tape

Features

- Matt finish
- Very Strong cloth tape
- Easy unwind and easy tear
- Abrasion Resistant
- Water Resistant
- Conformable
- Writable surface
- Wide colour range



Standard Colour



Standard Sizes

19mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)


AT202 Gloss Cloth Advance GAFFA® Tape

Features

- Satin finish
- Cable friendly adhesive peels clean from cables and most surfaces
- Very easy unwind and very easy tear
- Wide temperature range
- Wide colour range
- Writable surface
- Abrasion Resistant
- Water Resistant



Standard Colour



Standard Sizes

25mm x 50m
50mm x 50m
100mm x 50m

Markets



[View Technical Data >](#)

AT205 Matt Black Foil Advance GAFFA® Tape

Features

- Matt non-reflective finish
- Flame retardant
- Self Extinguishing
- Excellent temperature range
- Water resistant in situ
- Conformable



Standard Colour



Standard Sizes

19mm x 25m
25mm x 25m
50mm x 25m
75mm x 25m
100mm x 25m

Markets



[View Technical Data >](#)


AT208 Coloured PVC Dance Floor Advance GAFFA® Tape

Features

- Easy unwind and easy to tear
- Wide colour range
- Conformable
- Water and UV Resistant
- Abrasion Resistant
- Non-corrosive adhesive



Standard Colour



Standard Sizes

50mm x 33m

Markets



[View Technical Data >](#)

AT215 Advance GAFFA® Fluorescent Cloth Tape

Features

- High visibility and UV glow
- Matt finish
- Clean peel adhesive
- Easy unwind and tear
- Writable surface
- Water resistant in situ
- Good abrasive resistance
- Conformable to awkward shapes and uneven surfaces



Standard Colour



Standard Sizes

19mm x 25m
25mm x 25m
38mm x 25m
50mm x 25m

Markets



[View Technical Data >](#)

SEE SOMETHING YOU LIKE?



CLICK TO GET IN TOUCH!



DOUBLE SIDED TAPES

AT302 Super High Tack Double Sided Cotton Cloth Tape

Features

- High Tack
- Good Adhesion
- Conformable
- Easy tear



Standard Colour



Standard Sizes

19mm x 50m 75mm x 50m
25mm x 50m 135mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT303 White Double Sided Cotton Cloth Tape

Features

- Good Low Temperature Resistant
- Strong



Standard Colour



Standard Sizes

25mm x 50m 300mm x 50m
50mm x 50m 600mm x 50m
75mm x 50m

Markets



[View Technical Data >](#)

AT310 Temporary Use Polypropylene Double Sided Tape

Features

- Good low temperature resistance.
- Excellent conformability to awkward shapes
- High tack.
- Excellent adhesion.
- Good dimensional stability



Standard Colour



Standard Sizes

50mm x 25m

Markets



[View Technical Data >](#)

AT316 High Performance Double Sided Polyester Tape

Features

- Excellent short term high temperature resistance
- Aggressive adhesive



Standard Colour



Standard Sizes

19mm x 33m 150mm x 33m
25mm x 33m 400mm x 33m
50mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

AT320 Double Sided PVC Tape

Features

- Easy Tear
- Very high tack
- Flexible



Standard Colour



Standard Sizes

19mm x 50m

Markets



[View Technical Data >](#)

AT326 Double Sided Flooring Tape

Features

- Clean peel from unfaced side
- Conformable to awkward shapes



Standard Colour



Standard Sizes

50mm x 50m

Markets



[View Technical Data >](#)

AT395 Reverse Wound Double Sided Transfer Tape

Features

- High Tack
- UV Resistant
- Excellent Temperature Range



Standard Colour



Standard Sizes

12mm x 33m

Markets



[View Technical Data >](#)

Find out more information: www.advancetapes.com/double-sided

NEED HELP?

Get in touch with the team



FOIL TAPES

AT500 - 40 Micron Aluminium Foil Tape

Features

- 🔥 Flame retardant and self-extinguishing
- 🌡️ Good high temperature resistance
- 🔄 Easy unwind and tear



Standard Colour



Standard Sizes

19mm x 45m 75mm x 45m
 19mm x 50m 75mm x 50m
 25mm x 45m 100mm x 45m
 30mm x 50m 100mm x 50m
 38mm x 50m 125mm x 45m
 50mm x 45m 150mm x 45m
 50mm x 50m 300mm x 45m
 63mm x 50m

Markets



[View Technical Data >](#)

AT501 - Reinforced Aluminium Foil Tape

Features

- 🔥 Scrim reinforced for greater strength
- 🔥 Flame retardant
- 🌡️ Resistant to high and low temperatures
- 💧 Water resistant



Standard Colour



Standard Sizes

50mm x 45m 100mm x 45m
 50mm x 50m 100mm x 50m
 75mm x 45m
 75mm x 50m

Markets



[View Technical Data >](#)

AT502 - 30 Micron Aluminium Foil Tape

Features

- 🔥 Flame retardant and self-extinguishing
- 🌡️ Extreme high temperature resistance
- 🔄 Easy unwind and tear
- 💧 Excellent water vapour resistance



Standard Colour



Standard Sizes

19mm x 45m 75mm x 50m
 25mm x 45m 100mm x 45m
 50mm x 45m 100mm x 50m
 50mm x 50m 200mm x 45m
 63mm x 50m 500mm x 45m
 75mm x 45m

Markets



[View Technical Data >](#)

AT506 - 50 Micron Aluminium Foil Tape

Features

- 🔥 Flame retardant
- 🌡️ High temperature resistant
- 🔄 Easy tear
- 🔄 Easy unwind
- 💧 Water resistant



Standard Colour



Standard Sizes

25mm x 50m 500mm x 50m
 50mm x 50m 610mm x 45m
 63mm x 50m
 75mm x 50m
 100mm x 45m

Markets



[View Technical Data >](#)

AT510 - Matt Black Foil Tape

Features

- 🖤 Matt non-reflective finish
- 🔥 Flame retardant and self-extinguishing
- 🌡️ Excellent temperature range
- 🔄 Very easy unwind and tear
- 💧 Water resistant in situ
- 📏 Conformable to awkward shapes



Standard Colour



Standard Sizes

25mm x 25m
 50mm x 25m

Markets



[View Technical Data >](#)

AT521 40 Micron Aluminium Foil Shielding Tape

Features

- 🔧 Conductive acrylic adhesive
- 🛡️ Good shielding effect and z-axis conductivity
- 🌡️ Good resistance to high and low temperatures
- 🧪 Good resistance to chemicals, heat, acids, and alkalis
- 🔄 Easy to unroll



Standard Colour



Standard Sizes

25mm x 33m
 50mm x 33m

Markets



[View Technical Data >](#)

AT525 35 Micron Copper Foil Shielding Tape

Features

- 🔧 Non-conductive acrylic adhesive
- 🌡️ Resistant to high and low temperatures
- 🔧 Can be easily soldered
- 🔄 Easy unwind



Standard Colour



Standard Sizes

10mm x 33m
 25mm x 33m
 50mm x 33m

Markets



[View Technical Data >](#)

AT526 35 Micron Copper Foil Shielding Tape

Features

- 🔧 Conductive acrylic adhesive
- 🌡️ Resistant to high and low temperatures
- 🔧 Can be easily soldered
- 🔄 Easy unwind



Standard Colour



Standard Sizes

19mm x 33m
 25mm x 33m

Markets



[View Technical Data >](#)

FOIL TAPES

AT528 50 Micron Copper Foil Shielding Tape

Features

- ✓ Easy unwind
- ✓ Easily soldered
- ⓘ High and Low Temperature Resistant
- ✓ Electrically conductive thermosetting acrylic adhesive



Standard Colour



Standard Sizes

19mm x 33m
25mm x 33m

Markets



[View Technical Data >](#)

AT536 35 Micron Tin Clad Copper Foil Shielding Tape

Features

- ✓ Electrically conductive acrylic adhesive
- ⓘ High and Low Temperature Resistant
- ✓ Resistant to ozone, oils, chemicals & water due to the tin layer
- ✓ Easily soldered
- ➡ Easy unwind



Standard Colour



Standard Sizes

10mm x 33m
25mm x 33m
50mm x 33m

Markets



[View Technical Data >](#)

AT541 40 Micron Aluminium Foil Masking Tape

Features

- ➡ Easy unwind
- ✓ Electrically conductive acrylic adhesive
- ✓ Resistant to chemical, heat, acid and alkali
- ⓘ High and Low Temperature Resistant



Standard Colour



Standard Sizes

12mm x 33m

Markets



[View Technical Data >](#)

AT544 35 Micron Tin Clad Copper Foil Masking Tape

Features

- ✓ Conductive acrylic adhesive
- ✗ Removable Polyester Masking Strip
- ⓘ High and Low Temperature Resistant
- ✓ Resistant to ozone, oils, chemicals and water
- ➡ Easy unwind



Standard Colour



Standard Sizes

12mm x 33m
19mm x 33m
25mm x 33m

Markets




[View Technical Data >](#)

TAPE TIPS

DID YOU KNOW?


All our foil tapes are made using water-based environmentally-friendly adhesives.

- ✓ **No harmful solvent emissions during manufacturing process**
- ✓ **Specifically developed to offer a wide temperature resistance and long-term performance.**



Want to learn more about our foil tape range?

Click the icons to the right to take a look at our **'Foil Tape Guide'** and **Foil Tape Video!**



POLYTHENE TAPES

AT30 - All Weather Polythene Tape

Features

- ➔ Easy unwind
- ⊗ Conformable
- ⚡ Extreme temperature resistance
- 🌊 Water resistant
- 🛡️ Abrasion resistant



Standard Colour



Standard Sizes

25mm x 33m 125mm x 33m
38mm x 33m 150mm x 33m
50mm x 33m 300mm x 33m
75mm x 33m 500mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

AT79 - High Performance Polythene Self Amalgamating Tape

Features

- ➔ Easy unwind
- ⊗ Conformable
- ⚡ Resistant to high and low temperatures
- ➕ Water and UV resistant
- ➕ Suitable for outdoor use
- ✔️ Resistant to a wide range of chemicals including, alkalis, hydraulic fluids and vegetable oils



Standard Colour



Standard Sizes

19mm x 10m

Markets



[View Technical Data >](#)

AT85 - Polythene Self Amalgamating Tape

Features

- ⚡ Resistant to persistent high and low temperatures
- ✔️ High dielectric strength
- ➕ Water and UV resistant
- ✔️ Good abrasion resistance
- ✔️ Resistant to a wide range of chemicals including, alkalis, hydraulic fluids and vegetable oils



Standard Colour



Standard Sizes

19mm x 10m
25mm x 10m

Markets



[View Technical Data >](#)

AT559 - PE-Agritape

Features

- ✔️ Strong and secure once applied
- ⚡ Extreme temperature resistant
- ⊗ Conformable
- ☀️ Water and UV Resistant



Standard Colour



Standard Sizes

75mm x 10m
75mm x 20m
75mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

AT6102 - Easy Tear Polythene Protection Tape

Features

- ➔ Easy to unwind and tear
- ✔️ Clean peel from most surfaces*
- ☀️ UV and water resistant
- ❄️ Frost resistant
- ⚡ Good low temperature resistance
- ♻️ Environmentally responsible choice



Standard Colour



Standard Sizes

25mm x 33m 150mm x 33m
30mm x 33m 200mm x 33m
50mm x 33m 270mm x 33m
60mm x 33m 300mm x 33m
70mm x 33m 400mm x 33m
75mm x 33m 500mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

AT6103 - Clear Polythene Tape

Features

- ➔ Matt finish
- ✔️ Excellent clarity once applied
- ✔️ Clean peel from most surfaces*
- ⊗ Conformable
- ➕ Water and UV resistant
- 🛡️ Abrasion resistant
- ♻️ Recyclable



Standard Colour



Standard Sizes

19mm x 33m 70mm x 33m
25mm x 33m 100mm x 33m
50mm x 33m 600mm x 33m
60mm x 33m
63mm x 33m

Markets



[View Technical Data >](#)

AT6150 - Polythene Vapour Barrier Tape

Features

- ➔ Easy unwind and tear
- 🛡️ Good abrasion resistance
- ⚡ Conformable at low temperatures
- ➕ Water resistant



Standard Colour



Standard Sizes

50mm x 33m
75mm x 33m

Markets



[View Technical Data >](#)

AT6160 - High Tack PE Performance Tape

Features

- ➔ High tack
- ⚡ High adhesion to low surface energy substrates
- ⚡ Flexible at low temperatures
- 🛡️ Abrasion resistant
- ☀️ Water and weathering resistant



Standard Colour



Standard Sizes

50mm x 33m
100mm x 33m

Markets



[View Technical Data >](#)

OTHER ADHESIVE TAPES

AT6300 Paper Masking Tape 60°C

Features

- ➔ Easy to unwind and easy tear
- ✔ Repositionable
- ✔ Low tack
- ✔ Clean peel from most surfaces* up to 3 hours
- ⊗ Conformable



Standard Colour



Standard Sizes

18mm x 50m 72mm x 50m
24mm x 50m 96mm x 50m
36mm x 50m
48mm x 50m
50mm x 50m

Markets



[View Technical Data >](#)

AT6301 Paper Masking Tape 80°C

Features

- ➔ Easy to unwind and easy tear
- ✔ Repositionable
- ✔ Low tack
- ✔ Clean peel from most surfaces* up to 12 hours
- ⊗ Conformable
- ⓘ Resistant to high temperatures



Standard Colour



Standard Sizes

18mm x 50m
48mm x 50m
72mm x 50m

Markets



[View Technical Data >](#)

AT87 - Polyisobutylene Self Amalgamating Tape

Features

- ➔ Easy unwind
- ⊗ Conformable
- ⓘ Resistant to high and low temperatures
- ➔ Water and UV resistant
- ➔ Ozone resistant
- ⓘ Resistant to a wide range of chemicals including, alkalis, hydraulic fluids and vegetable oils



Standard Colour



Standard Sizes

19mm x 10m
25mm x 10m

Markets



[View Technical Data >](#)

AT4004 - Class B 130°C Polyester Tape

Features

- ✔ High electrical strength
- ⓘ High temperature resistance
- ✔ High breaking load
- ⊗ Very strong



Standard Colour



Standard Sizes

12mm x 66m
19mm x 66m
25mm x 66m
50mm x 66m

Markets



[View Technical Data >](#)

AT412 Mono Filament Reinforced Strapping Tape

Features

- ⊗ Good holding power
- ✔ Excellent tensile strength
- ✔ High resistance to nicks, abrasion and moisture
- ➔ Easy bonding to variety of corrugated and solid board surfaces



Standard Colour



Standard Sizes

25mm x 50m

Markets



[View Technical Data >](#)

AT414 Cross Woven Reinforced Strapping Tape

Features

- ✔ High Tack
- ➔ Easy Unwind
- ⊗ Conformable
- ✔ No lateral splitting
- ➔ Water Resistant
- ⊗ Abrasion Resistant



Standard Colour



Standard Sizes

25mm x 50m

Markets



[View Technical Data >](#)

AT1005 Packaging Tape

Features

- ⊗ Good Instant Stick
- ⊗ Conformable
- ➔ Water Resistant
- ⊗ Abrasion Resistant
- ✔ Suitable for hand or machine applications



Standard Colour



Standard Sizes

48mm x 66m

Markets



[View Technical Data >](#)

NEED HELP?

Get in touch
with the team





Advance Tapes International Ltd
Westmoreland Avenue
Thurmaston
LE4 8PH, England

Call: 00 44 (0)116 251 0191
Email: sales@advancetapes.com
www.advancetapes.com



Disclaimer: Tape performance in multiple applications can be affected by various factors. These factors are often not within the control of Advance Tapes. Having better knowledge and control of individual applications and method of use, end users of the product are responsible for evaluating the suitability for a particular application and for identifying that the product is fit for the purpose. Customers should satisfy themselves that the tape is suitable for their requirements in a particular application prior to use.